



# 2021 PRIOR AUTHORIZATION CRITERIA FOR

## MEDICARE HMO BLUE<sup>SM</sup> (HMO) MEDICARE PPO BLUE<sup>SM</sup> (PPO)

### Definition of Prior Authorization

For certain drugs your doctor or health care provider will need to contact us before you fill your prescription.

The following list of Prescription Drugs are subject to the Prior Authorization.

Blue Cross and Blue Shield of Massachusetts is an HMO and PPO Plan with a Medicare contract.

Enrollment in Blue Cross Blue Shield of Massachusetts depends on contract renewal.

Blue Cross Blue Shield of Massachusetts is an Independent Licensee of the Blue Cross and Blue Shield Association.

Y0014\_20205\_C

# ABIRATERONE ACETATE (ZYTIGA)

---

## Products Affected

- abiraterone
- Zytiga oral tablet 500 mg

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ABRAXANE

---

## Products Affected

- Abraxane

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist, or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ACTEMRA

---

## Products Affected

- Actemra ACTPen
- Actemra intravenous
- Actemra subcutaneous

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Rheumatoid arthritis: failure/contraindication to two of the following: Enbrel, Humira, Orencia, Rinvoq, or Xeljanz/Xeljanz XR.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a rheumatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ADAKVEO

---

## Products Affected

- Adakveo

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ADEMPAS

---

## Products Affected

- Adempas

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Pulmonary arterial hypertension (PAH) WHO Group 1, patients who are not currently taking Adempas or another agent indicated for WHO Group 1 PAH: previous right-heart catheterization to confirm the diagnosis of PAH to ensure appropriate medical assessment. PAH WHO Group 1, patients currently on Adempas or another agent indicated for WHO Group 1 PAH: may continue therapy without confirmation of a right-heart catheterization.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a cardiologist, or a pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ADVAIR

---

## Products Affected

- Advair HFA

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	For a diagnosis of asthma: Previous treatment/contraindication with Dulera or Symbicort.
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# AIMOVIG

---

## Products Affected

- Aimovig Autoinjector

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	For a diagnosis of migraine headache: Documentation that the requested medication is being used for migraine prophylaxis and previous treatment with or contraindication to 2 generic migraine medications including: beta blockers, topiramate, divalproex sodium, non-steroidal anti-inflammatories, and serotonin receptor agonists.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# ALECENSA

---

## Products Affected

- Alecensa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ALGLUCERASE

---

## Products Affected

- Cerezyme intravenous recon soln 400 unit

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	We do not cover Alglucerase therapy for patients who have Gaucher disease but do not have at least a minimal level of disease severity, because treatment has not been proven to improve health outcomes for patients without signs or symptoms of disease. We do not cover Alglucerase therapy for patients who have Type 2 or Type 3 Gaucher disease, because alglucerase therapy has not been proven to improve the nerve problems associated with these types of Gaucher disease.
<b>Required Medical Information</b>	N/A
<b>Age Restrictions</b>	N/A
<b>Prescriber Restrictions</b>	N/A
<b>Coverage Duration</b>	1 year
<b>Other Criteria</b>	N/A
<b>Indications</b>	All FDA-approved Indications.
<b>Off-Label Uses</b>	N/A

# ALPHA-1 ANTITRYPSIN

---

## Products Affected

- Aralast NP
- Glassia
- Prolastin-C

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Alpha-1 antitrypsin plasma levels less than 80mg/dL (11 umol/L) and FEV1/FVC less than 70%
Age Restrictions	18 years of age or older
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ALUNBRIG

---

## Products Affected

- Alunbrig

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# AMBRISENTAN

---

## Products Affected

- ambrisentan

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Pulmonary arterial hypertension (PAH) WHO Group 1, patients who are not currently taking ambrisentan or another agent indicated for WHO Group 1 PAH: previous right-heart catheterization to confirm the diagnosis of PAH to ensure appropriate medical assessment. PAH WHO Group 1, patients currently on ambrisentan or another agent indicated for WHO Group 1 PAH: may continue therapy without confirmation of a right-heart catheterization.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a cardiologist, or a pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ANABOLIC STEROIDS

---

## Products Affected

- oxandrolone

PA Criteria	Criteria Details
Exclusion Criteria	Weight gain for cosmetic reasons.
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ARIKAYCE

---

## Products Affected

- Arikayce

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with an infectious disease physician, or a pulmonologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ARMODAFINIL

---

## Products Affected

- armodafinil

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	A documented diagnosis of Narcolepsy, Obstructive Sleep Apnea, or Shift Work Sleep Disorder.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# AUBAGIO

---

## Products Affected

- Aubagio

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a neurologist or MS specialist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# AUSTEDO

---

## Products Affected

- Austedo

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# AVASTIN

---

## Products Affected

- Avastin

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, nephrologist, oncologist, pulmonologist.
Coverage Duration	3 years
Other Criteria	Previous treatment with, or a contraindication to, one of the following medications: Mvasi, or Zirabev.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# AYVAKIT

---

## Products Affected

- Ayvakit

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, an oncologist, allergist or immunologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# BALVERSA

---

## Products Affected

- Balversa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist or urologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# BAVENCIO

---

## Products Affected

- Bavencio

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist, nephrologist, oncologist, or urologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# BEXAROTENE

---

## Products Affected

- bexarotene
- Targretin topical

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# BOSENTAN

---

## Products Affected

- bosentan
- Tracleer oral tablet for suspension

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Pulmonary arterial hypertension (PAH) WHO Group 1, patients who are not currently taking bosentan or another agent indicated for WHO Group 1 PAH: previous right-heart catheterization to confirm the diagnosis of PAH to ensure appropriate medical assessment. PAH WHO Group 1, patients currently on bosentan or another agent indicated for WHO Group 1 PAH: may continue therapy without confirmation of a right-heart catheterization.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a cardiologist or a pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# BOSULIF

---

## Products Affected

- Bosulif

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# BOTOX

---

## Products Affected

- Botox

PA Criteria	Criteria Details
Exclusion Criteria	Botox will not be approved if used for cosmetic reasons.
Required Medical Information	For a diagnosis of migraine headache: episodes of migraine greater than or equal to 15 days per month with duration of greater than or equal to 4 hours per day and previous treatment with or contraindication to 2 migraine prophylactic medications including: beta blockers, topiramate, divalproex sodium, non-steroidal anti-inflammatories, and serotonin receptor agonists.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# BRAFTOVI

---

## Products Affected

- Braftovi oral capsule 75 mg

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# BRONCHITOL

---

## Products Affected

- Bronchitol

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a pulmonologist or a physician who specializes in the treatment of cystic fibrosis.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# BRUKINSA

---

## Products Affected

- Brukinsa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# BYLVAY

---

## Products Affected

- Bylvay

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# CABOMETYX

---

## Products Affected

- Cabometyx

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an endocrinologist, hepatologist, nephrologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# CALQUENCE

---

## Products Affected

- Calquence

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# CAPRELSA

---

## Products Affected

- Caprelsa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an endocrinologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# CHORIONIC GONADOTROPINS (HCG)

---

## Products Affected

- chorionic gonadotropin, human intramuscular
- Novarel

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# CIMZIA

## Products Affected

- Cimzia
- Cimzia Powder for Reconst
- Cimzia Starter Kit

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	All FDA-approved indications are covered per package insert. The following diagnoses require treatment failures and/or contraindications to the following medications. Crohn's disease: failure/contraindication to Humira and Stelara. Rheumatoid arthritis: failure/contraindication to two of the following: Enbrel, Humira, Orencia, Rinvoq, or Xeljanz/Xeljanz XR. Psoriatic arthritis: failure/contraindication to two of the following: Cosentyx, Enbrel, Humira, Orencia, Otezla, Stelara, or Xeljanz/Xeljanz XR. Ankylosing Spondylitis: failure/contraindication to two of the following: Cosentyx, Enbrel, or Humira. Plaque Psoriasis: failure/contraindication to two of the following: Cosentyx, Enbrel, Humira, Otezla, Skyrizi, or Stelara.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a rheumatologist, gastroenterologist, or dermatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# CINRYZE

---

## Products Affected

- Cinryze

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an allergist/immunologist or a physician that specializes in the treatment of HAE or related disorders.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# CLOMIPHENE

---

## Products Affected

- clomiphene citrate

PA Criteria	Criteria Details
Exclusion Criteria	Coverage is not provided for infertility treatment.
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# COMETRIQ

---

## Products Affected

- Cometriq

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an endocrinologist, hepatologist, nephrologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# COPIKTRA

---

## Products Affected

- Copiktra

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# CORLANOR

---

## Products Affected

- Corlanor

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, medical history, medication use.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# COSENTYX

---

## Products Affected

- Cosentyx (2 Syringes)
- Cosentyx Pen
- Cosentyx Pen (2 Pens)
- Cosentyx subcutaneous syringe 150 mg/mL

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist or rheumatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# COTELLIC

---

## Products Affected

- Cotellic

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# DALFAMPRIDINE

---

## Products Affected

- dalfampridine

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# DANYELZA

---

## Products Affected

- Danyelza

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# DARZALEX

---

## Products Affected

- Darzalex
- Darzalex Faspro

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# DAURISMO

---

## Products Affected

- Daurismo

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# DIACOMIT

---

## Products Affected

- Diacomit

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# DOJOLVI

---

## Products Affected

- Dojolvi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# DUPIXENT

## Products Affected

- Dupixent Pen
- Dupixent Syringe subcutaneous syringe 200 mg/1.14 mL, 300 mg/2 mL

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Asthma: Documentation that Dupixent is being used as add-on maintenance treatment of patients with moderate to severe asthma with an eosinophilic phenotype or with oral corticosteroid dependent asthma. Atopic dermatitis: A documented diagnosis of moderate-to-severe atopic dermatitis whose disease is not adequately controlled with topical prescription therapies or when those therapies are not advisable. Rhinosinusitis: Documentation that Dupixent is being used as an add-on maintenance treatment in adult patients with inadequately controlled chronic rhinosinusitis with nasal polyposis.
Age Restrictions	Asthma: 12 years of age and older. Atopic dermatitis: 6 years of age and older. Rhinosinusitis: 18 years of age and older.
Prescriber Restrictions	Prescribed by, or in consultation with, an allergist, immunologist, dermatologist, ENT specialist, or pulmonologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# DYSPORT

---

## Products Affected

- Dysport

PA Criteria	Criteria Details
Exclusion Criteria	Dysport will not be approved if used for cosmetic reasons.
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# EGRIFTA

---

## Products Affected

- Egrifta SV

PA Criteria	Criteria Details
Exclusion Criteria	Weight loss management.
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# EMGALITY

---

## Products Affected

- Emgality Pen
- Emgality Syringe subcutaneous syringe 120 mg/mL, 300 mg/3 mL (100 mg/mL x 3)

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	For a diagnosis of migraine headache: Documentation that the requested medication is being used for migraine prophylaxis and previous treatment with or contraindication to 2 generic migraine medications including: beta blockers, topiramate, divalproex sodium, non-steroidal anti-inflammatories, and serotonin receptor agonists.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# EMPAVELI

---

## Products Affected

- Empaveli

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ENBREL

---

## Products Affected

- Enbrel Mini
- Enbrel subcutaneous recon soln
- Enbrel subcutaneous solution
- Enbrel subcutaneous syringe
- Enbrel SureClick

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist or rheumatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ENHERTU

---

## Products Affected

- Enhertu

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ENSPRYNG

---

## Products Affected

- Enspryng

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# ENTYVIO

---

## Products Affected

- Entyvio

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Adult Crohn's disease: failure/contraindication to Humira and Stelara. Adult Ulcerative Colitis: failure/contraindication to one of the following: Humira, Stelara or Xeljanz/Xeljanz XR.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# EPCLUSA

---

## Products Affected

- Epclusa oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Hepatitis C genotype, concurrent medications, medication history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with a gastroenterologist, hepatologist, infectious disease physician, or a liver transplant physician.
Coverage Duration	Authorizations will be approved according to the AASLD/IDSA treatment guidelines.
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# EPIDIOLEX

---

## Products Affected

- Epidiolex

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	1 year of age and older.
Prescriber Restrictions	Prescribed by, or in consultation with, a neurologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ERBITUX

---

## Products Affected

- Erbitux

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ERIVEDGE

---

## Products Affected

- Erivedge

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ERLEADA

---

## Products Affected

- Erleada

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ERLOTINIB

---

## Products Affected

- erlotinib

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist, nephrologist or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ERYTHROPOIETIN

---

## Products Affected

- Retacrit

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Current hemoglobin level within the previous 30 days less than or equal to 10g/dL. Anemic surgical patients must meet the following criteria: surgery must be elective, non-cardiac, and non-vascular, target hemoglobin level between 10 and 13 g/dL, and not willing to donate blood.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	Part B versus Part D determination will be made at time of prior authorization review per CMS guidance to establish if the drug prescribed is to be used for an End-Stage Renal Disease (ESRD)-related condition.
Indications	All FDA-approved Indications, Some Medically-accepted Indications.
Off-Label Uses	Anemia due to ribavirin therapy in the treatment of Hepatitis C and Myelodysplastic Syndromes.



# ESBRIET

---

## Products Affected

- Esbriet

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	A documented diagnosis of Idiopathic Pulmonary Fibrosis.
Age Restrictions	18 years of age or older
Prescriber Restrictions	Prescribed by, or in consultation with, a pulmonologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# EVENITY

---

## Products Affected

- Evenity

PA Criteria	Criteria Details
Exclusion Criteria	Duration of use for Evenity is limited to 12 monthly doses.
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	Authorizations will be approved for 12 months of therapy.
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# EVEROLIMUS (AFINITOR)

---

## Products Affected

- Afinitor Disperz
- Afinitor oral tablet 10 mg
- everolimus (antineoplastic)

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a nephrologist, neurologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# EVKEEZA

---

## Products Affected

- Evkeeza

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	Homozygous familial hypercholesterolemia: 12 years of age and older.
Prescriber Restrictions	Prescribed by, or in consultation with, a cardiologist, endocrinologist, or a physician who focuses in the treatment of CV risk management and/or lipid disorders.
Coverage Duration	1 year
Other Criteria	The requested medication must be used as an adjunct to other low-density lipoprotein-cholesterol (LDL-C) lowering therapies.
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# EVRYSDI

---

## Products Affected

- Evrysdi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# EXKIVITY

---

## Products Affected

- Exkivity

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# FARYDAK

---

## Products Affected

- Farydak

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# FASENRA

---

## Products Affected

- Fasenra
- Fasenra Pen

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Documentation that Fasenra is being used as add-on maintenance treatment of patients with severe asthma with an eosinophilic phenotype.
Age Restrictions	12 years of age and older
Prescriber Restrictions	Prescribed by, or in consultation with an allergist, immunologist, or pulmonologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# FENTANYL, ORAL TRANSMUCOSAL

---

## Products Affected

- fentanyl citrate buccal lozenge on a handle

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	We cover Fentanyl, oral/transmucosal when the patient is already receiving and is tolerant to other opioids. Opioid tolerance defined as taking one or more of the following medications at or above the listed doses for at least one week: oral morphine 60mg/day, transdermal fentanyl 25mcg/hr, oral hydromorphone 8mg/day or any equianalgesic dose of another opioid.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# FOTIVDA

---

## Products Affected

- Fotivda

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a nephrologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# GALAFOLD

---

## Products Affected

- Galafold

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Fabry disease: a confirmed diagnosis of Fabry disease and an amenable galactosidase alpha gene (GLA) variant based on in vitro assay data.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# GAMIFANT

---

## Products Affected

- Gamifant

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 Year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# GATTEX

---

## Products Affected

- Gattex 30-Vial
- Gattex One-Vial

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# GAVRETO

---

## Products Affected

- Gavreto

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# GAZYVA

---

## Products Affected

- Gazyva

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# GEMTESA

---

## Products Affected

- Gemtesa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	Previous treatment with, or a contraindication to, Myrbetriq.
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# GILENYA

---

## Products Affected

- Gilenya oral capsule 0.5 mg

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a neurologist or MS specialist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# GILOTRIF

---

## Products Affected

- Gilotrif

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# GIVLAARI

---

## Products Affected

- Givlaari

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 Year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# GROWTH HORMONE

---

## Products Affected

- Omnitrope
- Serostim subcutaneous recon soln 4 mg, 5 mg, 6 mg
- Zorbtive

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# GROWTH HORMONE (INSULIN LIKE GROWTH FACTOR)

---

## Products Affected

- Increlex

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	We do not cover Insulin like Growth Factor for secondary forms of IGF-1 deficiency to include (but not limited to): GH deficiency, malnutrition, hypothyroidism, or for chronic treatment with pharmacologic doses of anti-inflammatory steroids.
<b>Required Medical Information</b>	Height standard deviation score less than or equal to -3 for age and sex, basal IGF-1 standard deviation score less than or equal to -3 for age and sex, and normal or elevated growth hormone (defined as stimulated serum GH peak level of greater than 10 ng/ml or basal (unstimulated) serum GH level greater than 5ng/ml).
<b>Age Restrictions</b>	N/A
<b>Prescriber Restrictions</b>	N/A
<b>Coverage Duration</b>	1 year
<b>Other Criteria</b>	N/A
<b>Indications</b>	All FDA-approved Indications.
<b>Off-Label Uses</b>	N/A

# HALAVEN

---

## Products Affected

- Halaven

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# HARVONI

---

## Products Affected

- Harvoni

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Hepatitis C genotype, concurrent medications, medication history.
Age Restrictions	3 years of age and older.
Prescriber Restrictions	Prescribed by, or in consultation with a gastroenterologist, hepatologist, infectious disease physician, or a liver transplant physician.
Coverage Duration	Authorizations will be approved according to the AASLD/IDSA treatment guidelines.
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# HERCEPTIN

---

## Products Affected

- Herceptin intravenous recon soln 150 mg

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, or oncologist.
Coverage Duration	3 years
Other Criteria	Previous treatment with, or a contraindication to, one of the following medications: Herzuma, Kanjinti, Ogivri, Ontruzant, or Trazimera.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# HERCEPTIN HYLECTA

---

## Products Affected

- Herceptin Hylecta

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# HERZUMA

---

## Products Affected

- Herzuma

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# HETLIOZ

---

## Products Affected

- Hetlio
- Hetlio LQ

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# HIGH RISK MEDICATIONS - BARBITURATES

## Products Affected

- Ascomp with Codeine
- Butalbital Compound W/Codeine
- butalbital-acetaminop-caf-cod
- butalbital-acetaminophen
- butalbital-acetaminophen-caff
- butalbital-aspirin-cafeine
- codeine-bitalbital-ASA-caff
- Seconal Sodium
- Tencon
- Vtol LQ
- Zebutal

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	Patients aged less than 65 years, approve. Patients aged 65 years and older, other criteria apply.
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	Additionally, the physician must have assessed risk versus benefit in prescribing the requested HRM for the patient and must confirm that he/she would still like to initiate/continue therapy.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# HIGH RISK MEDICATIONS - FIRST GENERATION ANTIHISTAMINES

## Products Affected

- diphenhydramine HCl oral elixir
- hydroxyzine HCl oral
- hydroxyzine pamoate
- promethazine oral

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	Patients aged less than 65 years, approve. Patients aged 65 years and older, other criteria apply.
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	For promethazine tablets/syrup, authorize use without a previous drug trial for all FDA-approved indications other than emesis, including cancer/chemo-related emesis. For hydroxyzine hydrochloride (tablets and syrup) or hydroxyzine pamoate (capsules), authorize use without a previous drug trial for all FDA-approved indications other than anxiety. For the treatment of non-cancer/chemo related emesis, approve promethazine hydrochloride tablets or syrup if the patient has previous treatment/contraindication with at least one other prescription oral anti-emetic agent (ondansetron, granisetron, dolasetron, palonosetron, aprepitant). Approve hydroxyzine hydrochloride (tablets and syrup) or hydroxyzine pamoate (capsules) if the patient has previous treatment/contraindication with at least two other FDA-approved products for the management of anxiety. Approve hydroxyzine hydrochloride (tablets and syrup) or hydroxyzine pamoate (capsules) for pruritis due to allergic and dermatological conditions. Additionally, the physician must have assessed risk versus benefit in prescribing the requested HRM for the patient and must confirm that he/she would still like to initiate/continue therapy.

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Indications</b>	All FDA-approved Indications.
<b>Off-Label Uses</b>	N/A

# HIGH RISK MEDICATIONS - PHENOBARBITAL/PENTOBARBITAL

---

## Products Affected

- phenobarbital

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	Patients aged less than 65 years, approve. Patients aged 65 years and older, other criteria apply.
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	Additionally, the physician must have assessed risk versus benefit in prescribing the requested HRM for the patient and must confirm that he/she would still like to initiate/continue therapy.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# HIGH RISK MEDICATIONS - SKELETAL MUSCLE RELAXANTS

---

## Products Affected

- carisoprodol
- carisoprodol-aspirin
- carisoprodol-aspirin-codeine
- chlorzoxazone oral tablet 375 mg, 500 mg, 750 mg
- cyclobenzaprine oral tablet
- metaxalone
- methocarbamol
- orphenadrine citrate oral
- orphenadrine-ASA-caffeine
- Orphengesic Forte
- Vanadom

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	Patients aged less than 65 years, approve. Patients aged 65 years and older, other criteria apply.
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	Additionally, the physician must have assessed risk versus benefit in prescribing the requested HRM for the patient and must confirm that he/she would still like to initiate/continue therapy.
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# HIGH RISK MEDICATIONS - TERTIARY TRICYCLIC ANTIDEPRESSANTS

---

## Products Affected

- amitriptyline
- clomipramine
- doxepin oral capsule
- doxepin oral concentrate
- imipramine HCl
- imipramine pamoate
- perphenazine-amitriptyline
- trimipramine

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	Patients aged less than 65 years, approve. Patients aged 65 years and older, other criteria apply.
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	Additionally, the physician must have assessed risk versus benefit in prescribing the requested HRM for the patient and must confirm that he/she would still like to initiate/continue therapy.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# HUMIRA

## Products Affected

- Humira Pen
- Humira Pen Crohns-UC-HS Start
- Humira Pen Psor-Uveits-Adol HS
- Humira subcutaneous syringe kit 40 mg/0.8 mL
- Humira(CF) Pedi Crohns Starter subcutaneous syringe kit 80 mg/0.8 mL, 80 mg/0.8 mL-40 mg/0.4 mL
- Humira(CF) Pen Crohns-UC-HS
- Humira(CF) Pen Pediatric UC
- Humira(CF) Pen Psor-Uv-Adol HS
- Humira(CF) Pen subcutaneous pen injector kit 40 mg/0.4 mL, 80 mg/0.8 mL
- Humira(CF) subcutaneous syringe kit 10 mg/0.1 mL, 20 mg/0.2 mL, 40 mg/0.4 mL

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a rheumatologist, gastroenterologist, dermatologist, or ophthalmologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# IBRANCE

---

## Products Affected

- Ibrance

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ICLUSIG

---

## Products Affected

- Iclusig

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# IDHIFA

---

## Products Affected

- Idhifa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ILARIS

---

## Products Affected

- Ilaris (PF)

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Systemic juvenile idiopathic arthritis: failure/contraindication to two of the following: Enbrel, Humira, or Orencia.
Age Restrictions	N/A
Prescriber Restrictions	For Systemic Juvenile Idiopathic Arthritis: prescribed by, or in consultation with, a rheumatologist.
Coverage Duration	1 Year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# IMATINIB

---

## Products Affected

- imatinib

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# IMBRUVICA

---

## Products Affected

- Imbruvica

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist, oncologist, or transplant specialist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# IMFINZI

---

## Products Affected

- Imfinzi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist, pulmonologist, or urologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# INBRIJA

---

## Products Affected

- Inbrija inhalation capsule, w/inhalation device

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	A documented diagnosis of Parkinson's disease and Inbrija must be used for the intermittent treatment of off episodes in patients treated with carbidopa/levodopa.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# INFLECTRA

## Products Affected

- Inflectra

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Rheumatoid Arthritis: taken with methotrexate and failure/contraindication to two of the following: Enbrel, Humira, Orencia, Rinvoq, or Xeljanz. Psoriatic Arthritis: failure/contraindication to two of the following: Cosentyx, Enbrel, Humira, Orencia, Otezla, Stelara, or Xeljanz. Adult Crohn's disease: failure/contraindication to Humira and Stelara. Adult Ulcerative Colitis: failure/contraindication to one of the following: Humira, Stelara or Xeljanz/Xeljanz XR. Ankylosing Spondylitis: failure/contraindication to two of the following: Cosentyx, Enbrel, or Humira. Plaque Psoriasis: failure/contraindication to two of the following: Cosentyx, Enbrel, Humira, Otezla, Skyrizi, or Stelara.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a rheumatologist, gastroenterologist, or dermatologist.
Coverage Duration	1 Year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# INLYTA

---

## Products Affected

- Inlyta

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a nephrologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# INQOVI

---

## Products Affected

- Inqovi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# INREBIC

---

## Products Affected

- Inrebic

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# INTERFERONS (INTERFERON ALPHA)

---

## Products Affected

- Intron A injection

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# INTERFERONS (INTERFERON GAMMA)

---

## Products Affected

- Actimmune

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# IRESSA

---

## Products Affected

- Iressa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ISTURISA

---

## Products Affected

- Isturisa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# IVIG

---

## Products Affected

- Gammagard Liquid
- Gammagard S-D (IgA < 1 mcg/mL)
- Gamunex-C injection solution 1 gram/10 mL (10 %)

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	Part B versus D determination per CMS guidance to establish if drug used for PID in patients home.
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# IXEMPRA

---

## Products Affected

- Ixempra

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# JAKAFI

---

## Products Affected

- Jakafi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist, oncologist, or transplant specialist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# JEMPERLI

---

## Products Affected

- Jemperli

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# JEVTANA

---

## Products Affected

- Jevtana

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# JUXTAPID

---

## Products Affected

- Juxtapid

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Documented diagnosis of Homozygous Familial Hypercholesterolemia. Juxtapid must also be used as an adjunct to lipid lowering therapies unless the patient has a documented contraindication to lipid-lowering therapies.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a cardiologist, endocrinologist, or a physician who focuses in the treatment of CV risk management and/or lipid disorders.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# KADCYLA

---

## Products Affected

- Kadcyla

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# KALYDECO

---

## Products Affected

- Kalydeco oral granules in packet
- Kalydeco oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Documentation of one mutation in the CFTR gene that is responsive to Kalydeco as confirmed by an FDA-cleared cystic fibrosis mutation test.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# KANJINTI

---

## Products Affected

- Kanjinti

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# KESIMPTA

---

## Products Affected

- Kesimpta Pen

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a neurologist or MS specialist
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# KEVZARA

---

## Products Affected

- Kevzara

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Rheumatoid Arthritis: failure/contraindication to two of the following: Enbrel, Humira, Orencia, Rinvoq, or Xeljanz/Xeljanz XR.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a rheumatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# KEYTRUDA

---

## Products Affected

- Keytruda

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist, gastroenterologist, gynecologist, hematologist, hepatologist, oncologist, pulmonologist, or urologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# KINERET

---

## Products Affected

- Kineret

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Rheumatoid arthritis: failure/contraindication to two of the following: Enbrel, Humira, Orencia, Rinvoq, or Xeljanz/Xeljanz XR.
Age Restrictions	N/A
Prescriber Restrictions	For Rheumatoid Arthritis: prescribed by, or in consultation with, a rheumatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# KISQALI

---

## Products Affected

- Kisqali
- Kisqali Femara Co-Pack

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	Previous treatment with, or a contraindication to, Ibrance.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# KORLYM

---

## Products Affected

- Korlym

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	18 years of age or older
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# KOSELUGO

---

## Products Affected

- Koselugo

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# KYPROLIS

---

## Products Affected

- Kyprolis

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# LENVIMA

---

## Products Affected

- Lenvima

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an endocrinologist, hepatologist, nephrologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# LIBTAYO

---

## Products Affected

- Libtayo

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# LIDOCAINE

---

## Products Affected

- lidocaine topical adhesive patch,medicated  
5 %

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications, Some Medically-accepted Indications.
Off-Label Uses	Diabetic neuropathic pain.

# LONG ACTING OPIOIDS

## Products Affected

- buprenorphine
- hydrocodone bitartrate
- hydromorphone oral tablet extended release 24 hr
- Methadone Intensol
- methadone oral concentrate
- methadone oral solution
- methadone oral tablet
- Methadose oral concentrate
- morphine oral capsule, ER multiphase 24 hr
- morphine oral capsule, extend. release pellets
- morphine oral tablet extended release
- oxycodone oral tablet, oral only, ext. rel. 12 hr
- OxyContin oral tablet, oral only, ext. rel. 12 hr
- oxymorphone oral tablet extended release 12 hr
- tramadol oral tablet extended release 24 hr
- tramadol oral tablet, ER multiphase 24 hr

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Acute (i.e., non-chronic) pain
<b>Required Medical Information</b>	Pain type (chronic vs acute), prior pain medications/therapies tried, concurrent pain medications/therapies
<b>Age Restrictions</b>	N/A
<b>Prescriber Restrictions</b>	N/A
<b>Coverage Duration</b>	1 year
<b>Other Criteria</b>	For pain severe enough to require daily, around-the-clock, long-term opioid treatment (with no cancer diagnosis, not in long term care facility and not in hospice), approve if all of the following criteria are met: 1) patient is not opioid naive, AND 2) non-opioid therapies have been optimized and are being used in conjunction with opioid therapy according to the prescribing physician, AND 3) the prescribing physician has checked the patient's history of controlled substance prescriptions using state prescription drug monitoring program (PDMP), AND 4) the prescribing physician has discussed risks (e.g., addiction, overdose) and realistic benefits of opioid therapy with the patient, AND 5) according to the prescribing physician there is a treatment plan (including goals for pain and function) in place and reassessments are scheduled at regular intervals.

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Indications</b>	All FDA-approved Indications.
<b>Off-Label Uses</b>	N/A



# LONSURF

---

## Products Affected

- Lonsurf

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# LORBRENA

---

## Products Affected

- Lorbrena

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# LUMAKRAS

---

## Products Affected

- Lumakras

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# LUMOXITI

---

## Products Affected

- Lumoxiti

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	N/A
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# LUPKYNIS

---

## Products Affected

- Lupkynis

PA Criteria	Criteria Details
Exclusion Criteria	Not to be used in combination with cyclophosphamide.
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a rheumatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# LYNPARZA

---

## Products Affected

- Lynparza

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gynecologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# MAVENCLAD

---

## Products Affected

- Mavenclad (10 tablet pack)
- Mavenclad (4 tablet pack)
- Mavenclad (5 tablet pack)
- Mavenclad (6 tablet pack)
- Mavenclad (7 tablet pack)
- Mavenclad (8 tablet pack)
- Mavenclad (9 tablet pack)

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a neurologist or MS specialist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# MAVYRET

---

## Products Affected

- Mavyret oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Hepatitis C genotype, concurrent medications, medication history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with a gastroenterologist, hepatologist, infectious disease physician, or a liver transplant physician.
Coverage Duration	Authorizations will be approved according to the AASLD/IDSA treatment guidelines.
Other Criteria	For genotypes 1 and 4, patients must have a trial with Epclusa or Harvoni unless Epclusa and Harvoni are not specifically listed as an alternative therapy for a specific patient population in the guidelines. For genotypes 2 and 3, patients must have a trial with Epclusa unless Epclusa is not specifically listed as an alternative therapy for a specific patient population in the guidelines. For genotypes 5 and 6, patients must have a trial with Epclusa or Harvoni, unless Epclusa and Harvoni are not specifically listed as an alternative therapy for a specific patient population in the guidelines.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# MAYZENT

---

## Products Affected

- Mayzent
- Mayzent Starter Pack

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a neurologist or MS specialist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# MEGESTROL SUSPENSION/TABLETS

---

## Products Affected

- megestrol oral suspension 400 mg/10 mL (10 mL), 400 mg/10 mL (40 mg/mL), 625 mg/5 mL (125 mg/mL)
- megestrol oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	Coverage is not provided for weight gain for cosmetic reasons.
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# MEKINIST

---

## Products Affected

- Mekinist

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist, endocrinologist, oncologist, or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# MEKTOVI

---

## Products Affected

- Mektovi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# MEPERIDINE

---

## Products Affected

- meperidine (PF) injection solution 100 mg/mL, 25 mg/mL, 50 mg/mL

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	Patients aged less than 65 years, approve. Patients aged 65 years and older, require prior authorization.
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# METHAMPHETAMINE (DESOXYN)

---

## Products Affected

- methamphetamine

PA Criteria	Criteria Details
Exclusion Criteria	Weight loss.
Required Medical Information	Diagnosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# MODAFINIL

---

## Products Affected

- modafinil

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	A documented diagnosis of Narcolepsy, Obstructive Sleep Apnea, or Shift Work Sleep Disorder.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# MONJUVI

---

## Products Affected

- Monjuvi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# MVASI

---

## Products Affected

- Mvasi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, nephrologist, oncologist, or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# MYCAPSSA

---

## Products Affected

- Mycapssa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# NATPARA

---

## Products Affected

- Natpara

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by or in consultation with an endocrinologist.
Coverage Duration	1 year
Other Criteria	Chronic hypoparathyroidism - Before starting Natpara, serum calcium concentration is greater than 7.5 mg/dL and 25-hydroxyvitamin D stores are sufficient per the prescribing physician.
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# NERLYNX

---

## Products Affected

- Nerlynx

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# NEULASTA

---

## Products Affected

- Neulasta
- Neulasta Onpro

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	Previous treatment with, or a contraindication to, one of the following medications: Fulphila, Udenyca, or Ziextenzo.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# NEUPOGEN

---

## Products Affected

- Neupogen

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	Previous treatment with, or a contraindication to, one of the following medications: Granix, or Zarxio.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# NEXAVAR

---

## Products Affected

- Nexavar

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an endocrinologist, hepatologist, nephrologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# NEXLETOL

---

## Products Affected

- Nexletol

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a cardiologist, endocrinologist, or a physician who focuses in the treatment of CV risk management and/or lipid disorders.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# NEXLIZET

---

## Products Affected

- Nexlizet

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a cardiologist, endocrinologist, or a physician who focuses in the treatment of CV risk management and/or lipid disorders.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# NILUTAMIDE

---

## Products Affected

- nilutamide

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# NINLARO

---

## Products Affected

- Ninlaro

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# NIVESTYM

---

## Products Affected

- Nivestym

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	Previous treatment with, or a contraindication to, one of the following medications: Granix, or Zarxio.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# NOURIANZ

---

## Products Affected

- Nourianz

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	A documented diagnosis of Parkinson's disease and must be used as adjunctive treatment to levodopa/carbidopa in adult patients experiencing off episodes.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# NUBEQA

---

## Products Affected

- Nubeqa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# NUCALA

---

## Products Affected

- Nucala

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Documentation that Nucala is being used as add-on maintenance treatment of patients with severe asthma with an eosinophilic phenotype or eosinophilic granulomatosis with polyangiitis.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by or in consultation with an allergist, immunologist, pulmonologist, or rheumatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# NUEDEXTA

---

## Products Affected

- Nuedexta

PA Criteria	Criteria Details
Exclusion Criteria	Use in the management of neuropathic pain. Use in the management of heroin detoxification.
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# NURTEC

---

## Products Affected

- Nurtec ODT

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	For a diagnosis of migraine headache: Previous treatment with or contraindication to 2 generic migraine medications including: beta blockers, topiramate, divalproex sodium, non-steroidal anti-inflammatories, and serotonin receptor agonists.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# NYVEPRIA

---

## Products Affected

- Nyvepria

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	Previous treatment with, or a contraindication to, one of the following medications: Fulphila, Udenyca, or Ziextenzo.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ODOMZO

---

## Products Affected

- Odomzo

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# OFEV

---

## Products Affected

- Ofev

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	18 years of age or older
Prescriber Restrictions	Prescribed by, or in consultation with, a pulmonologist or rheumatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# OGIVRI

---

## Products Affected

- Ogivri

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ONGENTYS

---

## Products Affected

- Ongentys

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	A documented diagnosis of Parkinson's disease and must be used as adjunctive treatment to levodopa/carbidopa in adult patients experiencing off episodes.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ONIVYDE

---

## Products Affected

- Onivyde

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ONPATTRO

---

## Products Affected

- Onpattro

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# ONTRUZANT

---

## Products Affected

- Ontruzant

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ONUREG

---

## Products Affected

- Onureg

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# OPDIVO

---

## Products Affected

- Opdivo intravenous solution 100 mg/10 mL, 120 mg/12 mL, 240 mg/24 mL, 40 mg/4 mL

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# OPSUMIT

---

## Products Affected

- Opsumit

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Pulmonary arterial hypertension (PAH) WHO Group 1, patients who are not currently taking Opsumit or another agent indicated for WHO Group 1 PAH: previous right-heart catheterization to confirm the diagnosis of PAH to ensure appropriate medical assessment. PAH WHO Group 1, patients currently on Opsumit or another agent indicated for WHO Group 1 PAH: may continue therapy without confirmation of a right-heart catheterization.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a cardiologist, or a pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# OPZELURA

---

## Products Affected

- Opzelura

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Atopic dermatitis: A documented diagnosis of mild-to-moderate atopic dermatitis in non-immunocompromised members whose disease is not adequately controlled with topical prescription therapies or when those therapies are not advisable.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ORENCIA

---

## Products Affected

- Orenzia (with maltose)
- Orenzia ClickJect
- Orenzia subcutaneous syringe 125 mg/mL, 50 mg/0.4 mL, 87.5 mg/0.7 mL

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a rheumatologist or dermatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ORENITRAM

---

## Products Affected

- Orenitram

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Pulmonary arterial hypertension (PAH) WHO Group 1, patients who are not currently taking Orenitram or another agent indicated for WHO Group 1 PAH: previous right-heart catheterization to confirm the diagnosis of PAH to ensure appropriate medical assessment. PAH WHO Group 1, patients currently on Orenitram or another agent indicated for WHO Group 1 PAH: may continue therapy without confirmation of a right-heart catheterization.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a cardiologist, or a pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ORGOVYX

---

## Products Affected

- Orgovyx

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# ORKAMBI

---

## Products Affected

- Orkambi oral granules in packet
- Orkambi oral tablet

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Combination therapy with Kalydeco. Patients who are heterozygous for the F508del mutation.
<b>Required Medical Information</b>	Documentation the patient is homozygous for the F508del mutation in the CFTR gene as confirmed by an FDA-cleared cystic fibrosis mutation test.
<b>Age Restrictions</b>	N/A
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with a pulmonologist or a physician who specializes in the treatment of cystic fibrosis.
<b>Coverage Duration</b>	1 year
<b>Other Criteria</b>	N/A
<b>Indications</b>	All FDA-approved Indications.
<b>Off-Label Uses</b>	N/A

# ORLADEYO

---

## Products Affected

- Orladeyo

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# OTEZLA

---

## Products Affected

- Otezla
- Otezla Starter oral tablets,dose pack 10 mg (4)-20 mg (4)-30 mg (47)

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a rheumatologist or dermatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# OXBRYTA

---

## Products Affected

- Oxbryta

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# OXERVATE

---

## Products Affected

- Oxervate

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an ophthalmologist or optometrist.
Coverage Duration	8 weeks
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# OXLUMO

---

## Products Affected

- Oxlumo

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# PADCEV

---

## Products Affected

- Padcev

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist, or urologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# PANRETIN

---

## Products Affected

- Panretin

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist, infectious disease physician or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# PEMAZYRE

---

## Products Affected

- Pemazyre

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, hepatologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# PERJETA

---

## Products Affected

- Perjeta

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# PHESGO

---

## Products Affected

- Phesgo

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# PHOSPHODIESTERASE INHIBITORS (PULMONARY HYPERTENSION)

## Products Affected

- Alyq
- sildenafil (Pulmonary Arterial Hypertension)
- tadalafil (pulmonary arterial hypertension)  
oral tablet 20 mg

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	We do not cover phosphodiesterase inhibitors for the treatment of erectile dysfunction.
<b>Required Medical Information</b>	Pulmonary arterial hypertension (PAH) WHO Group 1, patients who are not currently taking an agent indicated for WHO Group 1 PAH: previous right-heart catheterization to confirm the diagnosis of PAH to ensure appropriate medical assessment. PAH WHO Group 1, patients currently on an agent indicated for WHO Group 1 PAH: may continue therapy without confirmation of a right-heart catheterization.
<b>Age Restrictions</b>	N/A
<b>Prescriber Restrictions</b>	N/A
<b>Coverage Duration</b>	3 years
<b>Other Criteria</b>	N/A
<b>Indications</b>	All FDA-approved Indications.
<b>Off-Label Uses</b>	N/A

# PIQRAY

---

## Products Affected

- Piqray

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# POLIVY

---

## Products Affected

- Polivy

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# POMALYST

---

## Products Affected

- Pomalyst

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# PONVORY

---

## Products Affected

- Ponvory
- Ponvory 14-Day Starter Pack

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a neurologist or MS specialist
Coverage Duration	1 year
Other Criteria	Previous treatment with, or a contraindication to, one of the following medications: dimethyl fumarate, glatiramer, or glatopa.
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# POTELIGEO

---

## Products Affected

- Poteligeo

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# PRALUENT

## Products Affected

- Praluent Pen subcutaneous pen injector  
150 mg/mL, 75 mg/mL

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	N/A
<b>Required Medical Information</b>	LDL-C and response to other agents, prior therapies tried, medical history.
<b>Age Restrictions</b>	18 years of age and older.
<b>Prescriber Restrictions</b>	Prescribed by, or in consultation with, a cardiologist, endocrinologist, or a physician who focuses in the treatment of CV risk management and/or lipid disorders.
<b>Coverage Duration</b>	1 year
<b>Other Criteria</b>	For Primary Hyperlipidemia including pts with HeFH without ASCVD - approve if pt meets all of the following: A. Pt has been diagnosed with Primary Hyperlipidemia or HeFH, AND B. Pt tried TWO high intensity statins (i.e. atorvastatin greater than or equal to 40 mg daily and rosuvastatin greater than or equal to 20 mg daily) AND LDL-C remains greater than or equal to 70 mg/dL unless the patient is determined to be statin intolerant defined by experiencing statin related rhabdomyolysis or pt experienced skeletal-related muscle symptoms while receiving separate trials of atorvastatin and rosuvastatin and during both trials the skeletal-related symptoms resolved during discontinuation, AND C. If able to tolerate statins, the pt continues to receive the maximum tolerated dose of a statin while receiving Praluent therapy. Hyperlipidemia in pts with Clinical Atherosclerotic Cardiovascular Disease (ASCVD) with or without HeFH- approve if pt meets all of the following: A. Pt has an LDL-C greater than or equal to 70 mg/dL (after treatment with antihyperlipidemic agents but prior to PCSK9 therapy), AND B. Pt has one of the following conditions: prior MI, history of ACS, diagnosis of angina, history of stroke or TIA, PAD, undergone a coronary or other arterial revascularization procedure, AND C. Pt tried TWO high intensity statins (i.e. atorvastatin greater than or equal to 40 mg daily and rosuvastatin greater than or equal to 20 mg daily)

PA Criteria	Criteria Details
	AND LDL-C remains greater than or equal to 70 mg/dL unless the patient is determined to be statin intolerant defined by experiencing statin related rhabdomyolysis or pt experienced skeletal-related muscle symptoms while receiving separate trials of atorvastatin and rosuvastatin and during both trials the skeletal-related symptoms resolved during discontinuation, AND D. If able to tolerate statins, the pt continues to receive the maximum tolerated dose of a statin while receiving Praluent therapy.
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# PROLIA

---

## Products Affected

- Prolia

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	The patient has a documented diagnosis of osteoporosis, treatment of androgen deprivation-induced bone loss in men with prostate cancer, or treatment of aromatase inhibitor-induced bone loss in women with breast cancer.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	For a documented diagnosis of osteoporosis there must be evidence of a paid claim or physician documented use of one or more oral bisphosphonates (e.g. alendronate) or inability to swallow or inability to remain in an upright position during post oral bisphosphonate administration.
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# PYRIMETHAMINE

---

## Products Affected

- pyrimethamine

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# QINLOCK

---

## Products Affected

- Qinlock

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# REBLOZYL

---

## Products Affected

- Reblozyl

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# RETEVMO

---

## Products Affected

- Retevmo

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an endocrinologist, oncologist, or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# RETINOIC ACID DERIVATIVES

---

## Products Affected

- adapalene topical cream
- adapalene topical gel
- adapalene topical gel with pump
- adapalene topical solution
- adapalene topical swab
- adapalene-benzoyl peroxide
- Avita topical cream
- clindamycin-tretinoin
- tazarotene topical cream
- tazarotene topical foam
- Tazorac topical cream 0.05 %
- Tazorac topical gel
- tretinoin microspheres
- tretinoin topical

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Coverage for all ages is restricted to non-cosmetic purposes only.
<b>Required Medical Information</b>	Adapalene: Documented diagnosis of acne vulgaris. Tazarotene: Documented diagnosis of acne or psoriasis. Tretinoin: Documented diagnosis of acne or actinic keratosis.
<b>Age Restrictions</b>	Prior authorization is only required for patients over 29 years of age in order to evaluate for non-cosmetic uses.
<b>Prescriber Restrictions</b>	N/A
<b>Coverage Duration</b>	1 year
<b>Other Criteria</b>	N/A
<b>Indications</b>	All Medically-accepted Indications.
<b>Off-Label Uses</b>	N/A

# REVLIMID

---

## Products Affected

- Revlimid

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# REZUROCK

---

## Products Affected

- Rezurock

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# RIABNI

---

## Products Affected

- Riabni

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# RINVOQ

---

## Products Affected

- Rinvoq

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a rheumatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# RITUXAN

---

## Products Affected

- Rituxan

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Rheumatoid Arthritis: taken with methotrexate and previous treatment with, or a contraindication to two of the following: Enbrel, Humira, Orencia, Rinvoq, or Xeljanz/Xeljanz XR. For all other biosimilar indications: Previous treatment with, or a contraindication to, one of the following: Ruxience, or Truxima.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist, hematologist, oncologist, or rheumatologist.
Coverage Duration	Oncology indications: 3 years. Non-oncology indications: 1 year.
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# RITUXAN HYCELA

---

## Products Affected

- Rituxan Hycela

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ROZLYTREK

---

## Products Affected

- Rozlytrek

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# RUBRACA

---

## Products Affected

- Rubraca

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gynecologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# RUXIENCE

---

## Products Affected

- Ruxience

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# RYBREVANT

---

## Products Affected

- Rybrevant

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# RYDAPT

---

## Products Affected

- Rydapt

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# RYLAZE

---

## Products Affected

- Rylaze

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# SARCLISA

---

## Products Affected

- Sarclisa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# SIMPONI

## Products Affected

- Simponi ARIA
- Simponi subcutaneous pen injector 100 mg/mL, 50 mg/0.5 mL
- Simponi subcutaneous syringe 100 mg/mL, 50 mg/0.5 mL

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	N/A
<b>Required Medical Information</b>	Rheumatoid arthritis: taken with methotrexate and failure/contraindication to two of the following: Enbrel, Humira, Oencia, Rinvoq, or Xeljanz/Xeljanz XR. Psoriatic arthritis: taken alone, or in combination with methotrexate and failure/contraindication to two of the following: Cosentyx, Enbrel, Humira, Oencia, Otezla, Stelara, or Xeljanz/Xeljanz XR. Ankylosing Spondylitis: failure/contraindication to two of the following: Cosentyx, Enbrel, or Humira. Ulcerative colitis: failure/contraindication to two of the following: Humira, Stelara, or Xeljanz/Xeljanz XR.
<b>Age Restrictions</b>	N/A
<b>Prescriber Restrictions</b>	Prescribed by, or in consultation with, a rheumatologist, gastroenterologist, or dermatologist.
<b>Coverage Duration</b>	1 year
<b>Other Criteria</b>	N/A
<b>Indications</b>	All FDA-approved Indications.
<b>Off-Label Uses</b>	N/A

# SKYRIZI

---

## Products Affected

- Skyrizi subcutaneous pen injector
- Skyrizi subcutaneous syringe 150 mg/mL
- Skyrizi subcutaneous syringe kit

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# SOVALDI

## Products Affected

- Sovaldi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Hepatitis C genotype, concurrent medications, medication history.
Age Restrictions	Genotype 1 and 4: 18 years of age and older, Genotype 2 and 3: 3 years of age and older.
Prescriber Restrictions	Prescribed by, or in consultation with a gastroenterologist, hepatologist, infectious disease physician, or a liver transplant physician.
Coverage Duration	Authorizations will be approved according to the AASLD/IDSA treatment guidelines.
Other Criteria	For genotypes 1 and 4, patients must have a trial with Epclusa or Harvoni unless Epclusa and Harvoni are not specifically listed as an alternative therapy for a specific patient population in the guidelines. For genotypes 2 and 3, patients must have a trial with Epclusa unless Epclusa is not specifically listed as an alternative therapy for a specific patient population in the guidelines.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# SPRYCEL

---

## Products Affected

- Sprycel

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# STELARA

---

## Products Affected

- Stelara

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a rheumatologist, gastroenterologist, or dermatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# STIVARGA

---

## Products Affected

- Stivarga

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, hepatologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# SUTENT

## Products Affected

- sunitinib
- Sutent

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an endocrinologist, gastroenterologist, nephrologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# SYMDEKO

---

## Products Affected

- Symdeko oral tablets, sequential 100-150 mg (d)/ 150 mg (n), 50-75 mg (d)/ 75 mg (n)

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	N/A
<b>Required Medical Information</b>	Documentation that the patient has cystic fibrosis and is homozygous for the F508del mutation as confirmed by an FDA-cleared cystic fibrosis mutation test OR has at least one mutation in the cystic fibrosis transmembrane conductance regulator (CFTR) gene that is responsive to Symdeko based on in vitro data and/or clinical evidence.
<b>Age Restrictions</b>	N/A
<b>Prescriber Restrictions</b>	Prescribed by, or in consultation with, a pulmonologist or a physician who specializes in the treatment of cystic fibrosis.
<b>Coverage Duration</b>	1 year
<b>Other Criteria</b>	N/A
<b>Indications</b>	All FDA-approved Indications.
<b>Off-Label Uses</b>	N/A

# TABRECTA

---

## Products Affected

- Tabrecta

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TADALAFIL (CIALIS)

---

## Products Affected

- tadalafil oral tablet 2.5 mg, 5 mg

PA Criteria	Criteria Details
Exclusion Criteria	We do not cover tadalafil for the treatment of erectile dysfunction.
Required Medical Information	The patient must have a documented diagnosis of Benign Prostatic Hyperplasia (BPH).
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# TAFINLAR

---

## Products Affected

- Tafinlar

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist, endocrinologist, oncologist, or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TAGRISSO

---

## Products Affected

- Tagrisso

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TALZENNA

---

## Products Affected

- Talzenna

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TASIGNA

---

## Products Affected

- Tasigna

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TAZVERIK

---

## Products Affected

- Tazverik

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TECENTRIQ

---

## Products Affected

- Tecentriq

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist, pulmonologist, or urologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TECFIDERA

---

## Products Affected

- dimethyl fumarate
- Tecfidera

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a neurologist or MS specialist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# TEGSEDI

---

## Products Affected

- Tegsedi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# TEPEZZA

---

## Products Affected

- Tepezza

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# TEPMETKO

---

## Products Affected

- Tepmetko

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TERIPARATIDE

---

## Products Affected

- Forteo subcutaneous pen injector 20 mcg/dose (600mcg/2.4mL)

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Previous use of Tymlos and/or Forteo for a combined total no greater than 2 years duration during a patient's lifetime.
<b>Required Medical Information</b>	Documentation Forteo is being used in one the following patient populations at high risk for fracture (defined as a history of osteoporotic fracture, multiple risk factors for fracture, or patients who have failed or are intolerant to other available osteoporosis therapies): Postmenopausal women with osteoporosis, to increase bone mass in men with primary or hypogonadal osteoporosis, men and women with glucocorticoid-induced osteoporosis.
<b>Age Restrictions</b>	N/A
<b>Prescriber Restrictions</b>	N/A
<b>Coverage Duration</b>	Authorizations will be approved for 2 years of therapy over a patient's lifetime.
<b>Other Criteria</b>	N/A
<b>Indications</b>	All FDA-approved Indications.
<b>Off-Label Uses</b>	N/A

# TETRABENAZINE

---

## Products Affected

- tetrabenazine

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# THALOMID

---

## Products Affected

- Thalomid

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TIBSOVO

---

## Products Affected

- Tibsovo

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TIVDAK

---

## Products Affected

- Tivdak

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TOPICAL IMMUNOMODULATORS

---

## Products Affected

- pimecrolimus
- tacrolimus topical

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Documented treatment failure or contraindication with a prescription topical corticosteroid within the previous 90 days.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# TOPIRAMATE/ZONISAMIDE

---

## Products Affected

- Qudexy XR
- topiramate oral capsule, sprinkle
- topiramate oral tablet
- Trokendi XR
- zonisamide

PA Criteria	Criteria Details
Exclusion Criteria	Coverage is not provided for weight loss or smoking cessation.
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TRAZIMERA

---

## Products Affected

- Trazimera

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TRIKAFTA

---

## Products Affected

- Trikafta

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a pulmonologist or a physician who specializes in the treatment of cystic fibrosis.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# TRODELVY

---

## Products Affected

- Trodelvy

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TRUSELTIQ

---

## Products Affected

- Truseltiq oral capsule 100 mg/day (100 mg x 1), 125 mg/day (100 mg x 1-25mg x1), 50 mg/day (25 mg x 2), 75 mg/day (25 mg x 3)

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TRUXIMA

---

## Products Affected

- Truxima

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist, rheumatologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TUKYSA

---

## Products Affected

- Tukysa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# TYKERB

---

## Products Affected

- lapatinib
- Tykerb

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# TYMLOS

---

## Products Affected

- Tymlos

PA Criteria	Criteria Details
Exclusion Criteria	Previous use of Tymlos and/or Forteo for a combined total no greater than 2 years duration during a patient's lifetime.
Required Medical Information	Documentation Tymlos is being used for the treatment of postmenopausal women with osteoporosis at high risk for fracture defined as a history of osteoporotic fracture, multiple risk factors for fracture, or patients who have failed or are intolerant to other available osteoporosis therapy.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	Authorizations will be approved for 2 years of therapy over a patient's lifetime.
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# TYSABRI

---

## Products Affected

- Tysabri

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Tysabri will not be approved when used in combination with other immune modulating medications for the treatment of Multiple Sclerosis. Tysabri will not be approved when used in combination with immunosuppressants or TNF-a inhibitors for the treatment of Crohn's Disease.
<b>Required Medical Information</b>	Multiple Sclerosis: The patient must have a documented diagnosis of a relapsing form of Multiple Sclerosis. Crohn's Disease: The patient must have a documented diagnosis of Crohn's Disease and failure/contraindication to Humira and Stelara.
<b>Age Restrictions</b>	N/A
<b>Prescriber Restrictions</b>	Prescribed by, or in consultation with, a gastroenterologist or neurologist.
<b>Coverage Duration</b>	1 year
<b>Other Criteria</b>	N/A
<b>Indications</b>	All FDA-approved Indications.
<b>Off-Label Uses</b>	N/A

# UBRELVY

---

## Products Affected

- Ubrelvy

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	For a diagnosis of migraine headache: Previous treatment with or contraindication to 2 generic migraine medications including: beta blockers, topiramate, divalproex sodium, non-steroidal anti-inflammatories, and serotonin receptor agonists.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# UKONIQ

---

## Products Affected

- Ukoniq

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# UPTRAVI

## Products Affected

- Uptravi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Pulmonary arterial hypertension (PAH) WHO Group 1, patients who are not currently taking Uptravi or another agent indicated for WHO Group 1 PAH: previous right-heart catheterization to confirm the diagnosis of PAH to ensure appropriate medical assessment. PAH WHO Group 1, patients currently on Uptravi or another agent indicated for WHO Group 1 PAH: may continue therapy without confirmation of a right-heart catheterization.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a cardiologist, or a pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# VASCEPA

---

## Products Affected

- icosapent ethyl
- Vascepa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# VENCLEXTA

---

## Products Affected

- Venclexta
- Venclexta Starting Pack

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# VERZENIO

---

## Products Affected

- Verzenio

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# VIEKIRA

---

## Products Affected

- Viekira Pak

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Hepatitis C genotype, concurrent medications, medication history.
Age Restrictions	18 years of age and older.
Prescriber Restrictions	Prescribed by, or in consultation with a gastroenterologist, hepatologist, infectious disease physician, or a liver transplant physician.
Coverage Duration	Authorizations will be approved according to the AASLD/IDSA treatment guidelines.
Other Criteria	For genotype 1, patients must have a trial with Epclusa or Harvoni, unless Epclusa or Harvoni are not specifically listed as an alternative therapy for a specific patient population in the guidelines.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# VITRAKVI

---

## Products Affected

- Vitrakvi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# VIZIMPRO

---

## Products Affected

- Vizimpro

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# VOSEVI

---

## Products Affected

- Vosevi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Hepatitis C genotype, concurrent medications, medication history.
Age Restrictions	18 years of age and older.
Prescriber Restrictions	Prescribed by, or in consultation with a gastroenterologist, hepatologist, infectious disease physician, or a liver transplant physician.
Coverage Duration	Authorizations will be approved according to the AASLD/IDSA treatment guidelines.
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# VOTRIENT

---

## Products Affected

- Votrient

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a nephrologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# VYNDAMAX

---

## Products Affected

- Vyndamax

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# VYNDAQEL

---

## Products Affected

- Vyndaqel

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# WELIREG

---

## Products Affected

- Welireg

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# XALKORI

---

## Products Affected

- Xalkori

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# XELJANZ

## Products Affected

- Xeljanz oral solution
- Xeljanz oral tablet
- Xeljanz XR

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	All FDA-approved indications are covered per package insert. The following diagnoses require treatment failures and/or contraindications to the following medications. Rheumatoid Arthritis: previous failure/contraindication to methotrexate.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist or rheumatologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# XEOMIN

---

## Products Affected

- Xeomin

PA Criteria	Criteria Details
Exclusion Criteria	Xeomin will not be approved if used for cosmetic reasons.
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# XGEVA

---

## Products Affected

- Xgeva

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# XOLAIR

## Products Affected

- Xolair

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Allergic mediated moderate to severe asthma: Asthma symptoms not adequately controlled by continuous therapy of inhaled steroids or oral steroids, recent IgE levels within the range of 30 to 1,300 IU/mL for children 6 to less than 12 years of age or IgE level within the range of 30 to 700 IU/mL for 12 years of age and older (recent defined as the previous 6 months), positive skin test or in vitro testing for one or more perennial aeroallergen. Chronic idiopathic urticaria: Symptoms remain despite H1 antihistamine treatment.
Age Restrictions	Allergic mediated moderate to severe asthma: 6 years of age and older. Chronic idiopathic urticaria: 12 years of age and older.
Prescriber Restrictions	Pulmonologist, allergist, dermatologist, or immunologist
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# XOSPATA

---

## Products Affected

- Xospata

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# XPOVIO

---

## Products Affected

- Xpovio oral tablet 100 mg/week (50 mg x 2), 40 mg/week (40 mg x 1), 40mg twice week (40 mg x 2), 60 mg/week (60 mg x 1), 60mg twice week (120 mg/week), 80 mg/week (40 mg x 2), 80mg twice week (160 mg/week)

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# XTANDI

---

## Products Affected

- Xtandi

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A



# XYREM

---

## Products Affected

- Xyrem

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Medication history
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a sleep specialist or neurologist.
Coverage Duration	1 year
Other Criteria	For Excessive daytime sleepiness (EDS) in patients with narcolepsy - approve if the patient has tried one CNS stimulant (e.g., methylphenidate or dextroamphetamine), modafinil, or armodafinil.
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# YERVOY

---

## Products Affected

- Yervoy

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist, gastroenterologist, hepatologist, nephrologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# YONSA

---

## Products Affected

- Yonsa

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ZEJULA

---

## Products Affected

- Zejula

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gynecologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ZELBORAF

---

## Products Affected

- Zelboraf

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a dermatologist, hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ZEPATIER

---

## Products Affected

- Zepatier

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Hepatitis C genotype, concurrent medications, medication history.
Age Restrictions	18 years of age and older.
Prescriber Restrictions	Prescribed by, or in consultation with a gastroenterologist, hepatologist, infectious disease physician, or a liver transplant physician.
Coverage Duration	Authorizations will be approved according to the AASLD/IDSA treatment guidelines.
Other Criteria	For genotypes 1 and 4, patients must have a trial with Epclusa or Harvoni unless Epclusa and Harvoni are not specifically listed as an alternative therapy for a specific patient population in the guidelines.
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ZEPOSIA

## Products Affected

- Zeposia
- Zeposia Starter Pack
- Zeposia Starter Kit

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Ulcerative colitis: failure/contraindication to two of the following: Humira, Stelara, or Xeljanz/Xeljanz XR.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a neurologist, MS specialist, or gastroenterologist.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ZINPLAVA

---

## Products Affected

- Zinplava

PA Criteria	Criteria Details
Exclusion Criteria	Zinplava is not indicated for the treatment of Clostridium difficile infection (CDI).
Required Medical Information	Zinplava must be prescribed for patients who are receiving an antibacterial drug treatment regimen for CDI and must be at high risk for CDI recurrence.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist or infectious disease physician.
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A



# ZIRABEV

---

## Products Affected

- Zirabev

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a gastroenterologist, nephrologist, oncologist, or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ZOKINVY

---

## Products Affected

- Zokinvy

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 year
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off-Label Uses	N/A

# ZOLINZA

---

## Products Affected

- Zolinza

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ZYDELIG

---

## Products Affected

- Zydelig

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, and medical history.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ZYKADIA

---

## Products Affected

- Zykadia oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, an oncologist or pulmonologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

# ZYNLONTA

---

## Products Affected

- Zynlonta

PA Criteria	Criteria Details
Exclusion Criteria	N/A
Required Medical Information	Diagnosis, concurrent/past medications, medical history, and any approved tests as required per the package insert.
Age Restrictions	N/A
Prescriber Restrictions	Prescribed by, or in consultation with, a hematologist, or oncologist.
Coverage Duration	3 years
Other Criteria	N/A
Indications	All Medically-accepted Indications.
Off-Label Uses	N/A

## PART B VERSUS PART D

---

### Products Affected

- acetylcysteine
- acyclovir sodium intravenous solution
- Adrucil intravenous solution 2.5 gram/50 mL
- albuterol sulfate inhalation solution for nebulization
- AmBisome
- Aminosyn II 15 %
- Aminosyn-PF 7 % (sulfite-free)
- amiodarone intravenous
- amphotericin B
- aprepitant
- arformoterol
- Arzerra
- Astagraf XL
- azathioprine
- azathioprine sodium
- baclofen intrathecal
- Bethkis
- Blenrep
- bleomycin
- Blincyto intravenous kit
- Brovana
- budesonide inhalation
- caspofungin
- cidofovir
- cladribine
- Clinimix 5%/D15W Sulfite Free
- Clinimix 4.25%/D10W Sulf Free
- Clinimix 4.25%/D5W Sulfit Free
- Clinimix 5%-D20W(sulfite-free)
- Clinimix 6%-D5W (sulfite-free)
- Clinimix 8%-D10W(sulfite-free)
- Clinimix 8%-D14W(sulfite-free)
- Clinimix E 2.75%/D5W Sulf Free
- Clinimix E 4.25%/D10W Sul Free
- Clinimix E 4.25%/D5W Sulf Free
- Clinimix E 5%/D15W Sulfit Free
- Clinimix E 5%/D20W Sulfit Free
- Clinimix E 8%-D10W sulfitefree
- Clinimix E 8%-D14W sulfitefree
- Clinisol SF 15 %
- Clinolipid
- cromolyn inhalation
- cyclophosphamide oral capsule
- cyclosporine intravenous
- cyclosporine modified
- cyclosporine oral capsule
- Cyramza
- cytarabine
- cytarabine (PF)
- dobutamine in D5W intravenous parenteral solution 1,000 mg/250 mL (4,000 mcg/mL), 250 mg/250 mL (1 mg/mL), 500 mg/250 mL (2,000 mcg/mL)
- dobutamine intravenous solution 250 mg/20 mL (12.5 mg/mL)
- dopamine in 5 % dextrose
- dopamine intravenous solution 200 mg/5 mL (40 mg/mL), 400 mg/10 mL (40 mg/mL)
- dronabinol
- Elzonris
- Emend oral suspension for reconstitution
- Empliciti
- Engerix-B (PF) intramuscular suspension
- Engerix-B (PF) intramuscular syringe
- Engerix-B Pediatric (PF)
- Envarsus XR
- epoprostenol
- epoprostenol (glycine)
- everolimus (immunosuppressive)
- floxuridine
- fluorouracil intravenous
- formoterol fumarate
- foscarnet
- Gamunex-C injection solution 10 gram/100 mL (10 %), 2.5 gram/25 mL (10 %), 20 gram/200 mL (10 %), 40 gram/400 mL (10 %), 5 gram/50 mL (10 %)
- ganciclovir sodium
- Gengraf
- granisetron HCl oral
- Intralipid intravenous emulsion 20 %
- Intralipid intravenous emulsion 30 %
- ipratropium bromide inhalation

- ipratropium-albuterol
- levalbuterol HCl
- melphalan
- methotrexate sodium
- methotrexate sodium (PF)
- methylprednisolone oral tablet
- Millipred oral tablet
- milrinone
- milrinone in 5 % dextrose
- mycophenolate mofetil
- mycophenolate mofetil (HCl)
- mycophenolate sodium
- nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 mL (400 mcg/mL), 25 mg/250 mL (100 mcg/mL), 50 mg/250 mL (200 mcg/mL)
- nitroglycerin intravenous
- Nulibry
- Nulojix
- ondansetron
- ondansetron HCl oral
- pentamidine inhalation
- Perforomist
- Plenamine
- Portrazza
- prednisolone sodium phosphate oral tablet, disintegrating
- Prednisone Intensol
- prednisone oral tablet
- Premasol 10 %
- Procalamine 3%
- Prograf intravenous
- Prograf oral granules in packet
- Prosol 20 %
- Pulmozyme
- Recombivax HB (PF) intramuscular suspension 10 mcg/mL, 40 mcg/mL
- Recombivax HB (PF) intramuscular suspension 5 mcg/0.5 mL
- Recombivax HB (PF) intramuscular syringe
- Simulect
- sirolimus
- SMOFlipid
- sodium nitroprusside
- Syndros
- tacrolimus oral
- tobramycin in 0.225 % NaCl
- tobramycin inhalation
- Travasol 10 %
- treprostinil sodium
- trimethobenzamide oral
- TrophAmine 10 %
- Tyvaso
- Tyvaso Institutional Start Kit
- Tyvaso Refill Kit
- Tyvaso Starter Kit
- Uplizna
- Varubi oral
- Vectibix
- Veletri
- Ventavis
- vinblastine
- Vincasar PFS
- vincristine
- Vyxeos
- Xatmep
- Yupelri
- Zepzelca
- Zortress oral tablet 1 mg

## Details

This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.



## Index

### A

abiraterone.....	1
Abraxane.....	2
acetylcysteine.....	294
Actemra ACTPen.....	3
Actemra intravenous.....	3
Actemra subcutaneous.....	3
Actimmune.....	111
acyclovir sodium intravenous solution ...	294
Adakveo.....	4
adapalene topical cream.....	208
adapalene topical gel.....	208
adapalene topical gel with pump.....	208
adapalene topical solution.....	208
adapalene topical swab.....	208
adapalene-benzoyl peroxide.....	208
Adempas.....	5
Adrucil intravenous solution 2.5 gram/50 mL.....	294
Advair HFA.....	6
Afinitor Disperz.....	66
Afinitor oral tablet 10 mg.....	66
Aimovig Autoinjector.....	7
albuterol sulfate inhalation solution for nebulization.....	294
Alecensa.....	8
Alunbrig.....	11
Alyq.....	195
AmBisome.....	294
ambrisentan.....	12
Aminosyn II 15 %.....	294
Aminosyn-PF 7 % (sulfite-free).....	294
amiodarone intravenous.....	294
amitriptyline.....	96
amphotericin B.....	294
aprepitant.....	294
Aralast NP.....	10
arformoterol.....	294
Arikayce.....	14
armodafinil.....	15
Arzerra.....	294
Ascomp with Codeine.....	91
Astagraf XL.....	294
Aubagio.....	16

Austedo.....	17
Avastin.....	18
Avita topical cream.....	208
Ayvakit.....	19
azathioprine.....	294
azathioprine sodium.....	294

### B

baclofen intrathecal.....	294
Balversa.....	20
Bavencio.....	21
Bethkis.....	294
bexarotene.....	22
Blenrep.....	294
bleomycin.....	294
Blincyto intravenous kit.....	294
bosentan.....	23
Bosulif.....	24
Botox.....	25
Braftovi oral capsule 75 mg.....	26
Bronchitol.....	27
Brovana.....	294
Brukisa.....	28
budesonide inhalation.....	294
buprenorphine.....	134, 135
Butalbital Compound W/Codeine.....	91
butalbital-acetaminop-caf-cod.....	91
butalbital-acetaminophen.....	91
butalbital-acetaminophen-caff.....	91
butalbital-aspirin-caffeine.....	91
Bylvay.....	29

### C

Cabometyx.....	30
Calquence.....	31
Caprelsa.....	32
carisoprodol.....	95
carisoprodol-aspirin.....	95
carisoprodol-aspirin-codeine.....	95
caspofungin.....	294
Cerezyme intravenous recon soln 400 unit.	9
chlorzoxazone oral tablet 375 mg, 500 mg, 750 mg.....	95
chorionic gonadotropin, human intramuscular.....	33
cidofovir.....	294

Cimzia .....	34	Darzalex .....	44
Cimzia Powder for Reconst .....	34	Darzalex Faspro .....	44
Cimzia Starter Kit .....	34	Daurismo .....	45
Cinryze .....	35	Diacomit.....	46
cladribine.....	294	dimethyl fumarate .....	238
clindamycin-tretinoin .....	208	diphenhydramine HCl oral elixir .....	92, 93
Clinimix 5%/D15W Sulfite Free .....	294	dobutamine in D5W intravenous parenteral solution 1,000 mg/250 mL (4,000 mcg/mL), 250 mg/250 mL (1 mg/mL), 500 mg/250 mL (2,000 mcg/mL).....	294
Clinimix 4.25%/D10W Sulf Free .....	294	dobutamine intravenous solution 250 mg/20 mL (12.5 mg/mL).....	294
Clinimix 4.25%/D5W Sulfit Free .....	294	Dojolvi .....	47
Clinimix 5%-D20W(sulfite-free).....	294	dopamine in 5 % dextrose.....	294
Clinimix 6%-D5W (sulfite-free).....	294	dopamine intravenous solution 200 mg/5 mL (40 mg/mL), 400 mg/10 mL (40 mg/mL) .....	294
Clinimix 8%-D10W(sulfite-free).....	294	doxepin oral capsule .....	96
Clinimix 8%-D14W(sulfite-free).....	294	doxepin oral concentrate .....	96
Clinimix E 2.75%/D5W Sulf Free .....	294	dronabinol .....	294
Clinimix E 4.25%/D10W Sul Free .....	294	Dupixent Pen.....	48
Clinimix E 4.25%/D5W Sulf Free .....	294	Dupixent Syringe subcutaneous syringe 200 mg/1.14 mL, 300 mg/2 mL .....	48
Clinimix E 5%/D15W Sulfit Free .....	294	Dysport.....	49
Clinimix E 5%/D20W Sulfit Free.....	294	<b>E</b>	
Clinimix E 8%-D10W sulfitefree .....	294	Egrifta SV .....	50
Clinimix E 8%-D14W sulfitefree .....	294	Elzonris .....	294
Clinisol SF 15 % .....	294	Emend oral suspension for reconstitution	294
Clinolipid .....	294	Emgality Pen .....	51
clomiphene citrate .....	36	Emgality Syringe subcutaneous syringe 120 mg/mL, 300 mg/3 mL (100 mg/mL x 3)	51
clomipramine .....	96	Empaveli .....	52
codeine-butalbital-ASA-caff.....	91	Empliciti.....	294
Cometriq .....	37	Enbrel Mini .....	53
Copiktra.....	38	Enbrel subcutaneous recon soln.....	53
Corlanor .....	39	Enbrel subcutaneous solution .....	53
Cosentyx (2 Syringes).....	40	Enbrel subcutaneous syringe.....	53
Cosentyx Pen .....	40	Enbrel SureClick.....	53
Cosentyx Pen (2 Pens) .....	40	Engerix-B (PF) intramuscular suspension .....	294
Cosentyx subcutaneous syringe 150 mg/mL .....	40	Engerix-B (PF) intramuscular syringe ....	294
Cotellic .....	41	Engerix-B Pediatric (PF).....	294
cromolyn inhalation .....	294	Enhertu .....	54
cyclobenzaprine oral tablet .....	95	Enspryng .....	55
cyclophosphamide oral capsule .....	294	Entyvio .....	56
cyclosporine intravenous .....	294	Envarsus XR .....	294
cyclosporine modified.....	294		
cyclosporine oral capsule.....	294		
Cyramza .....	294		
cytarabine.....	294		
cytarabine (PF).....	294		
<b>D</b>			
dalfampridine .....	42		
Danyelza .....	43		

Epclusa oral tablet.....	57	Gilenya oral capsule 0.5 mg.....	80
Epidiolex .....	58	Gilotrif.....	81
epoprostenol.....	294	Givlaari .....	82
epoprostenol (glycine) .....	294	Glassia.....	10
Erbitux.....	59	granisetron HCl oral.....	294
Erivedge .....	60	<b>H</b>	
Erleada .....	61	Halaven .....	85
erlotinib .....	62	Harvoni .....	86
Esbriet .....	64	Herceptin Hylecta .....	88
Evenity .....	65	Herceptin intravenous recon soln 150 mg	87
everolimus (antineoplastic) .....	66	Herzuma.....	89
everolimus (immunosuppressive) .....	294	Hetlioz .....	90
Evkeeza .....	67	Hetlioz LQ .....	90
Evrysdi .....	68	Humira Pen .....	97
Exkivity .....	69	Humira Pen Crohns-UC-HS Start.....	97
<b>F</b>		Humira Pen Psor-Uveits-Adol HS .....	97
Farydak .....	70	Humira subcutaneous syringe kit 40 mg/0.8	
Fasenra .....	71	mL .....	97
Fasenra Pen .....	71	Humira(CF) Pedi Crohns Starter	
fentanyl citrate buccal lozenge on a handle		subcutaneous syringe kit 80 mg/0.8 mL,	
.....	72	80 mg/0.8 mL-40 mg/0.4 mL.....	97
floxuridine .....	294	Humira(CF) Pen Crohns-UC-HS .....	97
fluorouracil intravenous .....	294	Humira(CF) Pen Pediatric UC .....	97
formoterol fumarate .....	294	Humira(CF) Pen Psor-Uv-Adol HS .....	97
Forteo subcutaneous pen injector 20		Humira(CF) Pen subcutaneous pen injector	
mcg/dose (600mcg/2.4mL) .....	242	kit 40 mg/0.4 mL, 80 mg/0.8 mL.....	97
foscarnet.....	294	Humira(CF) subcutaneous syringe kit 10	
Fotivda .....	73	mg/0.1 mL, 20 mg/0.2 mL, 40 mg/0.4 mL	
<b>G</b>		.....	97
Galafold.....	74	hydrocodone bitartrate .....	134, 135
Gamifant .....	75	hydromorphone oral tablet extended release	
Gammagard Liquid .....	114	24 hr .....	134, 135
Gammagard S-D (IgA < 1 mcg/mL).....	114	hydroxyzine HCl oral.....	92, 93
Gamunex-C injection solution 1 gram/10		hydroxyzine pamoate .....	92, 93
mL (10 %) .....	114	<b>I</b>	
Gamunex-C injection solution 10 gram/100		Ibrance.....	98
mL (10 %), 2.5 gram/25 mL (10 %), 20		Iclusig.....	99
gram/200 mL (10 %), 40 gram/400 mL		icosapent ethyl .....	261
(10 %), 5 gram/50 mL (10 %).....	294	Idhifa .....	100
ganciclovir sodium.....	294	Ilaris (PF) .....	101
Gattex 30-Vial.....	76	imatinib .....	102
Gattex One-Vial .....	76	Imbruvica .....	103
Gavreto.....	77	Imfinzi.....	104
Gazyva .....	78	imipramine HCl .....	96
Gemtesa.....	79	imipramine pamoate.....	96
Gengraf .....	294		

Inbrija inhalation capsule, w/inhalation device .....	105	Lynparza .....	141
Increlex .....	84	<b>M</b>	
Inflectra .....	106	Mavenclad (10 tablet pack) .....	142
Inlyta .....	107	Mavenclad (4 tablet pack) .....	142
Inqovi .....	108	Mavenclad (5 tablet pack) .....	142
Inrebic .....	109	Mavenclad (6 tablet pack) .....	142
Intralipid intravenous emulsion 20 % .....	294	Mavenclad (7 tablet pack) .....	142
Intralipid intravenous emulsion 30 % .....	294	Mavenclad (8 tablet pack) .....	142
Intron A injection .....	110	Mavenclad (9 tablet pack) .....	142
ipratropium bromide inhalation .....	294	Mavyret oral tablet .....	143
ipratropium-albuterol .....	295	Mayzent .....	144
Iressa .....	112	Mayzent Starter Pack .....	144
Isturisa .....	113	megestrol oral suspension 400 mg/10 mL (10 mL), 400 mg/10 mL (40 mg/mL), 625 mg/5 mL (125 mg/mL) .....	145
Ixempra .....	115	megestrol oral tablet .....	145
<b>J</b>		Mekinist .....	146
Jakafi .....	116	Mektovi .....	147
Jemperli .....	117	melphalan .....	295
Jevtana .....	118	meperidine (PF) injection solution 100 mg/mL, 25 mg/mL, 50 mg/mL .....	148
Juxtapid .....	119	metaxalone .....	95
<b>K</b>		Methadone Intensol .....	134, 135
Kadcyla .....	120	methadone oral concentrate .....	134, 135
Kalydeco oral granules in packet .....	121	methadone oral solution .....	134, 135
Kalydeco oral tablet .....	121	methadone oral tablet .....	134, 135
Kanjinti .....	122	Methadose oral concentrate .....	134, 135
Kesimpta Pen .....	123	methamphetamine .....	149
Kevzara .....	124	methocarbamol .....	95
Keytruda .....	125	methotrexate sodium .....	295
Kineret .....	126	methotrexate sodium (PF) .....	295
Kisqali .....	127	methylprednisolone oral tablet .....	295
Kisqali Femara Co-Pack .....	127	Millipred oral tablet .....	295
Korlym .....	128	milrinone .....	295
Koselugo .....	129	milrinone in 5 % dextrose .....	295
Kyprolis .....	130	modafinil .....	150
<b>L</b>		Monjuvi .....	151
lapatinib .....	255	morphine oral capsule, ER multiphase 24 hr .....	134, 135
Lenvima .....	131	morphine oral capsule, extend. release pellets .....	134, 135
levalbuterol HCl .....	295	morphine oral tablet extended release ....	134, 135
Libtayo .....	132		
lidocaine topical adhesive patch, medicated 5 % .....	133	Mvasi .....	152
Lonsurf .....	136	Mycapssa .....	153
Lorbrena .....	137	mycophenolate mofetil .....	295
Lumakras .....	138		
Lumoxiti .....	139		
Lupkynis .....	140		

mycophenolate mofetil (HCl) .....	295	Orencia ClickJect .....	181
mycophenolate sodium .....	295	Orencia subcutaneous syringe 125 mg/mL, 50 mg/0.4 mL, 87.5 mg/0.7 mL .....	181
<b>N</b>		Orenitram .....	182
Natpara .....	154	Orgovyx .....	183
Nerlynx .....	155	Orkambi oral granules in packet .....	184
Neulasta .....	156	Orkambi oral tablet .....	184
Neulasta Onpro .....	156	Orladeyo .....	185
Neupogen .....	157	orphenadrine citrate oral .....	95
Nexavar .....	158	orphenadrine-ASA-caffeine .....	95
Nexletol .....	159	Orphengesic Forte .....	95
Nexlizet .....	160	Otezla .....	186
nilutamide .....	161	Otezla Starter oral tablets,dose pack 10 mg (4)-20 mg (4)-30 mg (47) .....	186
Ninlaro .....	162	oxandrolone .....	13
nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 mL (400 mcg/mL), 25 mg/250 mL (100 mcg/mL), 50 mg/250 mL (200 mcg/mL) .....	295	Oxbryta .....	187
nitroglycerin intravenous .....	295	Oxervate .....	188
Nivestym .....	163	Oxlumo .....	189
Nourianz .....	164	oxycodone oral tablet,oral only,ext.rel.12 hr .....	134, 135
Novarel .....	33	OxyContin oral tablet,oral only,ext.rel.12 hr .....	134, 135
Nubeqa .....	165	oxymorphone oral tablet extended release 12 hr .....	134, 135
Nucala .....	166	<b>P</b>	
Nuedexta .....	167	Padcev .....	190
Nulibry .....	295	Panretin .....	191
Nulojix .....	295	Pemazyre .....	192
Nurtec ODT .....	168	pentamidine inhalation .....	295
Nyvepria .....	169	Perforomist .....	295
<b>O</b>		Perjeta .....	193
Odomzo .....	170	perphenazine-amitriptyline .....	96
Ofev .....	171	phenobarbital .....	94
Ogivri .....	172	Phesgo .....	194
Omnitrope .....	83	pimecrolimus .....	247
ondansetron .....	295	Piqray .....	196
ondansetron HCl oral .....	295	Plenamine .....	295
Ongentys .....	173	Polivy .....	197
Onivyde .....	174	Pomalyst .....	198
Onpattro .....	175	Ponvory .....	199
Ontruzant .....	176	Ponvory 14-Day Starter Pack .....	199
Onureg .....	177	Portrazza .....	295
Opdivo intravenous solution 100 mg/10 mL, 120 mg/12 mL, 240 mg/24 mL, 40 mg/4 mL .....	178	Poteligeo .....	200
Opsumit .....	179	Praluent Pen subcutaneous pen injector 150 mg/mL, 75 mg/mL .....	201, 202
Opzelura .....	180		
Orencia (with maltose) .....	181		

prednisolone sodium phosphate oral tablet,disintegrating .....	295
Prednisone Intensol .....	295
prednisone oral tablet .....	295
Premasol 10 % .....	295
Procalamine 3% .....	295
Prograf intravenous .....	295
Prograf oral granules in packet .....	295
Prolastin-C .....	10
Prolia .....	203
promethazine oral.....	92, 93
Prosol 20 % .....	295
Pulmozyme .....	295
pyrimethamine .....	204
<b>Q</b>	
Qinlock.....	205
Qudexy XR .....	248
<b>R</b>	
Reblozyl .....	206
Recombivax HB (PF) intramuscular suspension 10 mcg/mL, 40 mcg/mL...	295
Recombivax HB (PF) intramuscular suspension 5 mcg/0.5 mL .....	295
Recombivax HB (PF) intramuscular syringe .....	295
Retacrit.....	63
Retevmo .....	207
Revlimid.....	209
Rezurock .....	210
Riabni.....	211
Rinvoq.....	212
Rituxan.....	213
Rituxan Hycela.....	214
Rozlytrek.....	215
Rubraca .....	216
Ruxience .....	217
Rybrevant.....	218
Rydapt.....	219
Rylaze .....	220
<b>S</b>	
Sareclisa.....	221
Seconal Sodium .....	91
Serostim subcutaneous recon soln 4 mg, 5 mg, 6 mg .....	83
sildenafil (Pulmonary Arterial Hypertension).....	195

Simponi ARIA .....	222
Simponi subcutaneous pen injector 100 mg/mL, 50 mg/0.5 mL .....	222
Simponi subcutaneous syringe 100 mg/mL, 50 mg/0.5 mL.....	222
Simulect .....	295
sirolimus.....	295
Skyrizi subcutaneous pen injector .....	223
Skyrizi subcutaneous syringe 150 mg/mL .....	223
Skyrizi subcutaneous syringe kit .....	223
SMOFlipid .....	295
sodium nitroprusside .....	295
Sovaldi .....	224
Sprycel .....	225
Stelara .....	226
Stivarga .....	227
sunitinib.....	228
Sutent .....	228
Symdeko oral tablets, sequential 100-150 mg (d)/ 150 mg (n), 50-75 mg (d)/ 75 mg (n).....	229
Syndros .....	295
<b>T</b>	
Tabrecta.....	230
tacrolimus oral .....	295
tacrolimus topical.....	247
tadalafil (pulm. hypertension).....	195
tadalafil oral tablet 2.5 mg, 5 mg .....	231
Tafinlar.....	232
Tagrisso.....	233
Talzenna.....	234
Targretin topical.....	22
Tasigna.....	235
tazarotene topical cream .....	208
tazarotene topical foam .....	208
Tazorac topical cream 0.05 % .....	208
Tazorac topical gel.....	208
Tazverik .....	236
Tecentriq .....	237
Tecfidera .....	238
Tegsedi.....	239
Tencon.....	91
Tepezza .....	240
Tepmetko .....	241
tetrabenazine .....	243

Thalomid .....	244	Veletri .....	295
Tibsovo .....	245	Venclexta .....	262
Tivdak .....	246	Venclexta Starting Pack .....	262
tobramycin in 0.225 % NaCl .....	295	Ventavis .....	295
tobramycin inhalation .....	295	Verzenio .....	263
topiramate oral capsule, sprinkle .....	248	Viekira Pak .....	264
topiramate oral tablet .....	248	vinblastine .....	295
Tracleer oral tablet for suspension .....	23	Vincasar PFS .....	295
tramadol oral tablet extended release 24 hr .....	134, 135	vincristine .....	295
tramadol oral tablet, ER multiphase 24 hr .....	134, 135	Vitrakvi .....	265
Travasol 10 % .....	295	Vizimpro .....	266
Trazimera .....	249	Vosevi .....	267
treprostinil sodium .....	295	Votrient .....	268
tretinoin microspheres .....	208	Vtol LQ .....	91
tretinoin topical .....	208	Vyndamax .....	269
Trikafta .....	250	VynDAQel .....	270
trimethobenzamide oral .....	295	Vyxeos .....	295
trimipramine .....	96	<b>W</b>	
Trodelvy .....	251	Welireg .....	271
Trokendi XR .....	248	<b>X</b>	
TrophAmine 10 % .....	295	Xalkori .....	272
Truseltiq oral capsule 100 mg/day (100 mg x 1), 125 mg/day (100 mg x1-25mg x1), 50 mg/day (25 mg x 2), 75 mg/day (25 mg x 3) .....	252	Xatmep .....	295
Truxima .....	253	Xeljanz oral solution .....	273
Tukysa .....	254	Xeljanz oral tablet .....	273
Tykerb .....	255	Xeljanz XR .....	273
Tymlos .....	256	Xeomin .....	274
Tysabri .....	257	Xgeva .....	275
Tyvaso .....	295	Xolair .....	276
Tyvaso Institutional Start Kit .....	295	Xospata .....	277
Tyvaso Refill Kit .....	295	Xpovio oral tablet 100 mg/week (50 mg x 2), 40 mg/week (40 mg x 1), 40mg twice week (40 mg x 2), 60 mg/week (60 mg x 1), 60mg twice week (120 mg/week), 80 mg/week (40 mg x 2), 80mg twice week (160 mg/week) .....	278
Tyvaso Starter Kit .....	295	Xtandi .....	279
<b>U</b>		Xyrem .....	280
Ubrelvy .....	258	<b>Y</b>	
Ukoniq .....	259	Yervoy .....	281
Uplizna .....	295	Yonsa .....	282
Uptravi .....	260	Yupelri .....	295
<b>V</b>		<b>Z</b>	
Vanadom .....	95	Zebutal .....	91
Varubi oral .....	295	ZeJula .....	283
Vascepa .....	261	Zelboraf .....	284
Vectibix .....	295	Zepatier .....	285

Zeposia.....	286	zonisamide .....	248
Zeposia Starter Kit .....	286	Zorbtive .....	83
Zeposia Starter Pack .....	286	Zortress oral tablet 1 mg .....	295
Zepzelca .....	295	Zydelig .....	291
Zinplava .....	287	Zykadia oral tablet .....	292
Zirabev .....	288	Zynlonta .....	293
Zokinvy .....	289	Zytiga oral tablet 500 mg .....	1
Zolanza .....	290		



# NONDISCRIMINATION NOTICE

Blue Cross Blue Shield of Massachusetts complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. It does not exclude people or treat them differently because of race, color, national origin, age, disability, sex, sexual orientation or gender identity.

## Blue Cross Blue Shield of Massachusetts provides:

- Free aids and services to people with disabilities to communicate effectively with us, such as qualified sign language interpreters and written information in other formats (large print or other formats).
- Free language services to people whose primary language is not English, such as qualified interpreters and information written in other languages.

If you need these services, contact the Medicare Advantage Appeals and Grievance Manager.

If you believe that Blue Cross Blue Shield of Massachusetts has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with the Medicare Advantage Appeals and Grievance Manager by mail at P.O. Box 55007, Boston, MA 02205; phone at **1-800-200-4255** (TTY: **711**) from April 1 through September 30, 8:00 a.m. to 8:00 p.m., Monday through Friday, or October 1 through March 31, 8:00 a.m. to 8:00 p.m., seven days a week; fax at **617-246-8506**; or email at [MedicareAdvantageRXAppeals@bcbsma.com](mailto:MedicareAdvantageRXAppeals@bcbsma.com). You can file a grievance in person, by mail, fax, email, or you can call **1-800-200-4255** (TTY: **711**).

If you need help filing a grievance, the Medicare Advantage Appeals and Grievance Manager is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights online at [ocrportal.hhs.gov](https://ocrportal.hhs.gov); by mail at U.S. Department of Health and Human Services, 200 Independence Avenue, SW Room 509F, HHH Building Washington, DC 20201; by phone at **1-800-368-1019** or **1-800-537-7697** (TDD).

Complaint forms are available at [www.hhs.gov](http://www.hhs.gov).

# TRANSLATION RESOURCES

## Proficiency of Language Assistance Services

**English:** ATTENTION: If you don't speak English, language assistance services, free of charge, are available to you. Call **1-800-200-4255** (TTY: 711).

**Spanish/Español:** ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al **1-800-200-4255** (TTY: 711).

**Portuguese/Português:** ATENÇÃO: Se fala português, encontram-se disponíveis serviços linguísticos, grátis. Ligue para **1-800-200-4255** (TTY: 711).

**Chinese/繁體中文:** 注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 **1-800-200-4255** (TTY: 711)。

**French Creole/Kreyòl Ayisyen:** ATANSYON: Si w pale Kreyòl Ayisyen, gen sèvis èd pou lang ki disponib gratis pou ou. Rele **1-800-200-4255** (TTY: 711).

**Vietnamese/Tiếng Việt:** CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số **1-800-200-4255** (TTY: 711).

**Russian/Русский:** ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните **1-800-200-4255** (телетайп: 711).

**Arabic/العربية:**

ملحوظة: إذا كنت تتحدث العربية، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم **1-800-200-4255** (هاتف الصم والبكم: 711).

**Mon-Khmer, Cambodian ខ្មែរ ប្រយ័ត្ន:** បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាជំនួយផ្នែកភាសា ដោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ចុះ ទូរស័ព្ទ **1-800-200-4255** (TTY: 711)។

**French/Français:** ATTENTION: Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le **1-800-200-4255** (ATS: 711).

**Italian/Italiano:** ATTENZIONE: In caso la lingua parlata sia l'italiano, sono disponibili servizi di assistenza linguistica gratuiti. Chiamare il numero **1-800-200-4255** (TTY: 711).

**Korean/한국어:** 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. **1-800-200-4255** (TTY: 711) 번으로 전화해 주십시오.

**Greek/λληνικά:** ΠΡΟΣΟΧΗ: Αν μιλάτε ελληνικά, στη διάθεσή σας βρίσκονται υπηρεσίες γλωσσικής υποστήριξης, οι οποίες παρέχονται δωρεάν. Καλέστε **1-800-200-4255** (TTY: 711).

**Polish/Polski:** UWAGA: Jeżeli mówisz po polsku, możesz skorzystać z bezpłatnej pomocy językowej. Zadzwoń pod numer **1-800-200-4255** (TTY: 711).

**Hindi/हिंदी :** ध्यान दें: यदि आप हिंदी बोलते हैं तो आपके लिए मुफ्त में भाषा सहायता सेवाएं उपलब्ध हैं। **1-800-200-4255** (TTY: 711 पर कॉल करें)।

**Gujarati/ગુજરાતી :** સુચના: જો તમે ગુજરાતી બોલતા હો, તો નિ:શુલ્ક ભાષા સહાય સેવાઓ તમારા માટે ઉપલબ્ધ છે. ફોન કરા **1-800-200-4255** (TTY: 711)



Blue Cross Blue Shield of Massachusetts is an HMO and PPO Plan with an Medicare contract.  
Enrollment in Blue Cross Blue Shield of Massachusetts depends on contract renewal.

Blue Cross Blue Shield of Massachusetts complies with applicable federal civil rights laws  
and does not discriminate on the basis of race, color, national origin, age,  
disability, sex, sexual orientation or gender identity.

ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística.  
Llame al **1-800-200-4255** (TTY: 711).

ATENÇÃO: Se fala português, encontram-se disponíveis serviços linguísticos, grátis.  
Ligue para **1-800-200-4255** (TTY: 711).



®, SM Registered and Service Marks of the Blue Cross and Blue Shield Association. ®, TM Registered Marks  
and Trademarks of the medications listed are the property of their respective manufacturers.

© 2021 Blue Cross and Blue Shield of Massachusetts, Inc., and Blue Cross and Blue Shield of Massachusetts HMO Blue, Inc.  
000757685 55-0558-21 (12/21)